■ 本造型設計資料如有技術規格變更，恕不另行通知，產品顏色因印刷原因造成誤差，請以實際產品爲準，購買前請詳細查詢。

Specifications of the products may be changed without forenotice,color of the items listed may differ from actual specification due printing.Please refer to actual color,please detailed consult before purchase.Copyright reserved.

2025年6月版

SAGA®

芮 奇

SAGA®

www. sagapin. com

官網 微信公衆號 YouTube FB

芮奇有限公司
MITCHELL CO.,LTD.

廣州市芮奇塑胶有限公司
GUANGZHOU MITCHELL PLASTIC CO.,LTD.

臺北地址: 新北市汐止區濐河街88巷3弄3號
Taipei address: No. 3, Aly. 3, Ln. 88, Huanhe St., Xizhi District, New Taipei City 221, Taiwan.
TEL: +886-2-2694-2828
FAX: +886-2-2694-2525
E-mail: inf@sagapin.com

廣州地址: 广州市白云区钟落潭镇广从五路83号6楼
Guangzhou address: 6th Floor, No. 83, Guangcong 5th Road, Zhongluotan Town, Baiyun District, 510550 Guangzhou, China.
TEL: +86-20-3601-3535
FAX: +86-20-3601-3536
E-mail: Sales@sagapin.com

柬埔寨地址: 柬埔寨金邊市四號公路13公里處
Cambodian address: No 20919.Phum Preipring,Sangkat Chomchao. Khan Porsenchey. Phnom Penh.
TEL: +885-78-888-360
E-mail: Sales2@sagapin.com

越南地址: 越南胡志明市第十二郡新泰協坊阮氏根路18號
Vietnamese address: 18, Nguyen Thi Can Phuong Tan Thoi Hiep, Quan 12, Thanh Pho Ho Chi Minh, Vietnam
TEL: +84-28-2241-6565
FAX: +84-28-2250-8365
E-mail: salesvn@sagapin.com

SAGA Plastic fastener-II

Saip®

Company Profile

公司簡介

臺灣芮奇有限公司已成立三十餘年，是一家專注於生產和銷售包裝后整類產品的公司，產品例如有：梯形膠釘、彈性膠釘、膠釘機、槍打膠針、吊牌槍、套環槍、手穿套環、槍打套環、跳碼機、標籤紙等等。經過多年的實踐與開發，已成爲服裝輔料領域的誠信企業。

公司在打造優質輔料的基礎下，率先研發出回收系列膠針、可降解膠針，爲世界環保事業貢獻力量，並致力研發自動化包裝機器，助力製衣廠提高效率。

芮奇人非常尊重知識產權,並不遺餘力維護市場秩序。其旗下品牌有：芮奇、SAGA、SAIP、GIRAFFE
等等。至今已經榮獲國家頒發的幾十項專利分別有發明專利、外觀專利、實用新型專利。

芮奇有限公司憑著產品品質，實惠的價格，嚴格專業的管理體系，專業的服務銷售系統，於2004年正式成立廣州市芮奇塑膠有限公司，擴大對廣大客戶的服務範圍和增加多變的合作模式，我們非常期待您隨時來電或來函索取樣品與資料，以建立長期友好的合作關系，芮奇有限公司將會爲您提供專業的服務!

Company Profile

Mitchell co., ltd. was founded for more than 30 years. We are specialize in producing and selling packing series productions, like plastic staple pin, elastic staple pin, staple pin attacher,tag pin, tag gun, loop gun, loop lock, loop fastener, price labeller, self-adhesive label etc.

With practice and development for many years, we have become a professional leading company in garment accessories field.

Based on supplying high quality garment accessories, we are also dedicated in developing automatic packing machine to assist factories to increase high efficiency.

Mitchell respects intellectual property and we are implemented strictly for the market order. Our brands: SAGA, SAIP, ARTEKA, GIRAFFE, etc. We have been awarded national patents, including invention patent, appearance patent and utility model patent.

With excellent product quality, affordable price, strict and specialty management system, professional after-sales service system and excellent team, we founded Guangzhou Mitchell Plastic Co.,Ltd branch in 2004 and trying our best to expand the range of services to our customers and increase variable patterns of cooperation.







SAGA®

目錄 Table of Contents



GRS再生膠針/生物可降解膠針
Recycled Tag Pin
Biodegradable Tag Pin
Page 1-4




膠針/套環/問號鉤排釘/圓鉤排釘
SAGA PIN/Loop Lock/
Fasteners Hook Pin/Ring Pin
Page 5-9



吊牌槍
Tag Gun
Page 10-14



TM-60E 氣動床墊膠針槍
Pneumatic tagging gun for mattress
Page 15



SPA-80 標籤膠釘機
SPA-80 Staple Pin Attacher
Page 16



SF-704J 自動送卡送鉤膠針機
Automatic card & hook
feeding machine
Page 17



TM-300C/302C-II/300J
氣電一體膠針機
Hybrid Tagging Machine
Page 18



自動送卡膠針機
自動送卡套環機
Tags Feeding Machine
Loop Feeding Machine
Page 19-20



彈性膠釘機/彈性膠釘
Elastic Staple Machine/
Elastic Staple
Page 21-22



FM-801 側送標籤膠釘機
Guide Rail Side Feeding Staple
Pin Attacher
Page 23



氣動膠針機/槍
Pneumatic Tagging Machine/Gun
Page 24



FM-301 氣電一體自動送卡機
Hybrid automatic cards feeding machine
Page 25



FM-302X 雙頭自動折卡膠針機
Automatic label folding tagging
machine double heads
Page 26



V-TOOL 套環槍
Fas Bano'K 101 套環槍
Loop Gun
Page 27



跳碼機/標籤紙/氣動釘書機
Consecutive Labeller
Self-adhesive Label
Automatic Stapling Machine
Page 28-29



襪鉤/膠夾
日字扣/紮帶
Hook/Clip
Buckle/Cable Tie
Page 30



槍針/機針
Tag Gun Needle
Tagging Machine Needle
Page 31-32

全球回收標準(GRS)——產品介紹

Global Recycling Standard (GRS) -- Product Introduction

新上市 New



隨著環境的惡化、資源的短缺，國家、政府...越來越明白環境、回收再造，重新利用的重要性。而GRS認證就是爲在紡織工業的需求所指定，檢查回收產品或某些特定產品，更重要的是讓零售商和消費者了解特定產品的哪些部分是再生材料，以及在供應鏈中如何處理這些材料。

全球回收標準（GRS）最初由世優認證（CU）於2008年制定，並於2011年1月1日將所有權轉讓給了紡織品交易所。從回收階段開始，每個生產階段必須經過認證，並最終在企業對企業交易中結束於最后的賣方。

With the deterioration of the environment, the shortage of resources, the government understands the importance of recycling and reuse of the environment more. GRS certification is specified for the needs of the textile industry to inspect recycled products or certain specific products. More importantly, it lets retailers and consumers know which parts of a particular product are recycled materials and how these materials are handled in the supply chain.

The Global Recycling Standard (GRS) was originally developed in 2008 by World Excellence Certification (CU), which transferred ownership to the Textile Exchange on January.1st. 2011. Starting with the recovery phase, each production phase must be certified and ultimately ends with the final seller in a business-to-business transaction.

使用GRS認證的膠針有哪些好處?

What is the advantage of the recycled plastic tag-pin.

1.全球認可，節能愛地球!
2.有標準的回收材料含量標識
3.有機會納入國際買家和世界名企的採購目錄
4.提升企業“綠色”和“環保”的市場競爭
5.强化企業品牌意識

1.Global recognition, energy saving love earth
2.There is a standard recycling material content label
3.Have the opportunity to be included in the international buyers and purchasing catalogue of world famous enterprises
4.Promote the company's "green" and "environmental protection" market competition
5.Strengthen corporate brand awareness


Control Union Certifications B.V.
Meeuwenlaan 4-6, 8011 BZ, Zwolle, Netherlands, NL
+31 38 424 0100
www.controlunion.com

SCOPE CERTIFICATE

Scope Certificate Number: CU5076329GRS-2022-05166604

Control Union Certifications certifies that

GUANGZHOU MITCHELL PLASTIC CO., LTD.

License Number: CB-CUC-107619

No. 633 Liangsha 1st Road, Zhongluotan Town, Baiyun District
510000 Guangzhou , Guangdong Sheng , CN-GD , China , CN

has been audited and found to be in conformity with the
Global Recycled Standard (GRS)
- Version 4.0 -

Product categories mentioned below (and further specified in the product appendix) conform with the standard(s):
Product categories: Functional accessories (PC0017)

Process categories owned not under responsibility of the above-mentioned company for the certified products cover:
Molding (PR0018), Trading (PR0030)

The certificate is valid until:
2023-11-24

Audit criteria:
Global Recycled Standard V4.0; Content Claim Standard V3.1; Textile Exchange Standard Claims Policy V1.2

Global Recycled Standard

CONTROLUNION

GRS再生料—膠針/工字膠針/槍打套環/手穿套環

Recycled Fastener/I Pin/Fas-Loop/SAGA Loop



再生料～膠針 Recycled Tag Pin

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
rPP 100%	POSP10~230	10~230mm	1.5kg/3.3lbs	75	5000	20
	POXP10~75	10~75mm				



再生料～工字型膠針 Recycled I Pin

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
rPA 100%	PO5-50-TEND-L	5-50mm	2kg/4.4lbs	125	10000	20



再生料～槍打套環 Recycled OV-Loop

材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Pcs/Clip	Pcs/Box	Box/Carton
rPP 100%	OV-LOOP3-8	3"-8"	75	5000	10






再生料～槍打套環 Recycled OA-Loop

材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Pcs/Clip	Pcs/Box	Box/Carton
rPP 100%	OA-LOOP3-8	3"-8"	75	5000	10



再生料～手穿套環 Recycled SAGA Loop

材料	型號	尺寸	每盒數量	每箱數量
Material	Item No.	Size	Pcs/Box	Box/Carton
rPP 100%	POLBF3-10	3"-10"	5000	20


GRS再生料—特大頭膠針／問號鉤／圓鉤／襪鉤／梯形膠釘

Recycled Fastener —Extra Big Paddle Pin／Hook Pin/Ring Pin/Hook/Staple Pin



再生料～特大頭膠針　Recycled Extra Big Paddle Pin

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
rPP 100%	TOSP15-50T	15~50mm	1.5kg/3.3lbs	100	10000	10



再生料～問號排釘　Recycled Hook Pin

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
rPP 100%	POHO15~35	15~35mm	1.5kg/3.3lbs	75	5000	20



再生料～圓鉤排釘　Recycled Ring Pin

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
rPP 100%	PORI15~35	15~35mm	1.5kg/3.3lbs	75	5000	20





再生料～挂鉤　Recycled Sock Pin


材料	型號	尺寸	每盒數量
Material	Item No.	Size	Pcs/Bag
rPP 100%	PO-006A	45*14*18*1.58mm	1000
P.P.	T-006A	45*14*18*1.58mm	1000
P.P.	T-006B	45*14*18*2.11mm	1000
P.P.	T-007B	45*11.5*18*1.78mm	1000
P.P.	T-007A	45*11.5*18*1.34mm	1000


*顏色可選:灰色、白色、透明


再生料～梯形膠釘　Recycled Staple Pin

材料	型號	尺寸	拉力	卷/數量
Material	Item No.	Size	Tension Force	Pcs/Box
rTPU 100%	SPO-25	13mm	0.8kg/1.7lbs	25,000 Pcs/Roll










生物可降解膠針

Biodegradable Tag Pin

新上市 New



從節約資源的角度出發，由於塑料製品主要來源是面臨枯竭的石油資源，應盡可能回收，但由於現階段再回收的生產成本遠高於直接生產成本，在現行市場經濟條件下難以做到。

面對日益嚴重的白色污染問題，人們希望尋找一種能替代現行塑料性能,可降解塑料應運而生，這種新型功能的塑料其特點是在達到一定使用壽命廢棄後，在特定的環境條件下，由於其化學結構發生明顯變化，引起某些性能損失及外觀變化而發生降解，對自然環境無害或少害。

Petroleum resources, they should be recycled as much as possible. However, since the production cost of recycling at this stage is much higher than the direct production cost, it is difficult to achieve under the current market economy conditions.
Facing the increasingly serious problem of white pollution, people hope to find a plastic substitute that can replace the performance of the current plastic without causing white pollution. After the service life is discarded, under certain environmental conditions, due to the obvious change of its chemical structure, which causes some performance loss and appearance changes and degrades, it is harmless or less harmful to the natural environment.



DIN EN 13432:2000-12
歐洲可降解認證



BPI
生物可降解認證



DIN EN 13432:2000-12
德國可降解認證



生物可降解膠針　Biodegradable Tag Pin


型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
FUSB15-125	15-125mm	1.7kg/3.71bs	75	5000	20

可分解膠針　Bio–PP Tag Pin


型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
BOSP10-125	10-125mm	1.7kg/3.71bs	75	5000	20

SAGA PIN 75發膠針

SAGA PIN 75PCS/CLIP MICRO PIN








（圖示1）

75pcs/clip 100pcs/clip



（圖示2）



（圖示3）

SAGAPIN 的優點：

1. 葉片新穎精緻，尺碼夠大且形狀特別，減少脫落現象。（圖示1）
2. 骨架短，減少骨架晃動造成衣物損傷，並降低換膠針頻率。（圖示2）
3. 完美搭配已普及的勾式吊牌槍，利於吊牌槍更新換代。（圖示3）

Advantage of SAGA PIN:

1. Big paddle ensure security,avoid label falling off.
2. Lessen damage to fabric compared to 100pcs/clip pin with long skeleton. Lessen rate of changing clips compared to 50pcs/clip pin.
3. Minimize volume of package, lessen transportation cost.







材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
P.P.	FUSP8~230	8~230mm	1.7kg/3.71bs	75	5000	20
	FUXP8~75	8~75mm				

標準膠針

STD Fasteners

量中間線長，單位 mm
(Filament length in mm)






SAGA PIN 75發/排 標準膠針 Micro Pin Standard

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
P.P.	FUSP8~230	8~230mm	1.7kg/3.71bs	75	5000	20
NYLON	FUSR10~75	10~75mm	2.5kg/5.51bs			




Mini Pin 75發/排 迷你膠針 Mini Pin

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
P.P.	MSP8~75	8~75mm	1.7kg/3.71bs	75	5000	20



一般型標準膠針 Tag Pin Standard

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
P. P.	YP8~230	8~230mm	1.7kg/3.71bs	50	5000	20
NYLON	YR8~65	8~65mm	2.5kg/5.51bs			



特大頭膠針 Micro Spaced Std Biggest Paddle Pin TUSP-T

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
P.P.	TUSP-T	15~75mm	1.7kg/3.71bs	100	10000	10



球型標準膠針 Ball Pin Standard

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
P.P.	TPBS20~75	20~75mm	1.7kg/3.71bs	100	5000	20

細膠針／鞋釘膠針／雙針排釘

Fine Fasteners/Shoe Pin/Double Pin








SAGA PIN 75發/排 細膠針 Micro Pin Fine

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
P.P.	FUXP8~75	8~75mm	1.7kg/3.71bs	75	5000	20
NYLON	FUXR10~40	10~40mm	2.2kg/4.81bs			



工字型細膠針 I Pin

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
P.P.	TEXP5-50	5~50mm	1.7kg/3.71bs	100/125	10000	20
NYLON	T5-50-TEND	5~50mm	2.2kg/4.81bs			




微型膠針 Micro Extra Fine Pin

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
NYLON	MEF3.5 MEF4.5 MEF5.4	3.5mm 4.5mm 5.4mm	1kg/2.2lbs	100 or 125	10000	100



鞋釘膠針 Shoe Pin

材料	型號	尺寸	拉力	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Tension Force	Pcs/Clip	Pcs/Box	Box/Carton
NYLON	TSR28~82	28~82mm	6.6kgs	50	2500	10




雙針排釘 Double Pin

材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Pcs/Clip	Pcs/Box	Box/Carton
P.P.	YPD25~75	25~75mm	50	5000	20

問號鉤排釘／圓鉤排釘


Fasteners Hook Pin/Ring Pin






適用于吊挂任何物品(加重型的承受力更强
拉力可達3.5KG)

Suitable for hanging articles(Reinforced its pulling force
Maximum Pulling force up to 3.5kgs










75發 問號鉤排釘 Hook Pin

材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Pcs/Clip	Pcs/Box	Box/Carton
P.P.	TPHO15~35	15~35mm	75	5000	20









75發 圓鉤排釘 Ring Pin


材料	型號	尺寸	每排數量	每盒數量	每箱數量
Material	Item No.	Size	Pcs/Clip	Pcs/Box	Box/Carton
P.P.	TPRI15~35	15~35mm	75	5000	20

球形膠針 Ball Pin

100%的安全性 100% secure






球形膠針 Ball Pin



標準針槍 Standard



請參照圖片，球型膠針可完全顯示出100%的安全性，無論你如何轉動此膠針頭，它仍然100%的安全因爲它的膠針頭是圓形的，且直徑爲8mm／12mm，是一般吊牌孔直徑的四倍，因此它不可能從直徑爲2至3毫米的標籤孔旋轉出來，從而避免了價格標籤中較高與較低價值之間的調換。


Our ball pin provides ful assurance. The paddle is round and the diameter is 8mm/12mm,which is four times bigger than the hole of label (tag), so no matter how you turn over the ball pin, it is still 100% secure. It is impossible for the paddle to rotate out of the tag hole with a diameter of 2-3mm, thus avoiding swapping between higher and lower values in the price tag.

手穿套環/珠帶
Loop Lock / Loop Tie




手穿套環 Loop Lock

量中間線長，單位mm
(Filament length in mm)



1、扁頭不露頭設計,不損傷織物。
2、獨家扁平手持位,操作順手。
3、抽取順暢。
4、色澤光亮透明。

1.Special flat head barrel design can avoid to damage the fabric.
2.Exclusive flat handheld position is easy for user to operate and lock the SAGA Loop.
3.Smooth and easy to take out the SAGA Loop.
4.The appearance of SAGA Loop is bright and transparent.



扁頭不露頭套環 SAGA LOOP

材料	型號	尺寸	每盒數量	每箱數量
Material	Item No.	Size	Pcs/Box	Box/Carton
P.P.	TLBF3~11	3"~11"	5000	20
NYLON	TLBF-R3~9	3"~9"		





酒桶型套環 Loop Lock Barrel

材料	型號	尺寸	每盒數量	每箱數量
Material	Item No.	Size	Pcs/Box	Box/Carton
P.P.	YLB3-12	3"-12"	5000	20
NYLON	ZLBR3-9	3"-9"		





三叉頭套環 Loop Lock Cone

材料	型號	尺寸	每包數量	每盒數量	每箱數量
Material	Item No.	Size	Pcs/Bag	Bags/Box	Box/Carton
P.P.	YL2-26	2"-26"	1000	50	20

珠帶 Loop Tie



珠帶 Loop Tie

材料	型號	尺寸	每包數量	每盒數量	每箱數量
Material	Item No.	Size	Pcs/Bag	Bags/Box	Box/Carton
P.P.	YLT3~9	3"~9"	1000	5	20
NYLON	ZLT5~9	5"~9"			

吊牌槍
Tag Gun

60S II
Mark II 標準針槍
Tag gun STD

- 手把包膠，更舒適。
  Covered with TPR handle ,more comfortable.
- 支點加固，更耐用。
  Reinforce the pivot, more durable.
- 結構優化，更順暢。
  Optimize the structure, more smoothly.



帶刀標準槍針 Mark II STD



60S II 吊牌槍適用以上各款槍針
Needles Applicable for 60S II

60X II
Mark II 細針槍
Tag gun fine

- 手把包膠，更舒適。
  Covered with TPR handle ,more comfortable.
- 支點加固，更耐用。
  Reinforce the pivot, more durable.
- 結構優化，更順暢。
  Optimize the structure, more smoothly.



帶刀細槍針 Mark II fine



60X II 吊牌槍適用以上各款槍針
Needles Applicable for 60X II

60M/62M/66M 微型膠針槍 Micro Extra Fine Gun

Saip®

微型膠針槍主要用於精細和高密度的織物、內衣和牛仔洗水等小口徑槍針，降低對物品的損害。
Mainly used for fine and high- density fabrics,underwear and jeans washing etc.
Extra Fine Needle minimizes damage to applied goods.







66M 微型膠針槍
Micro Extra Fine Gun




62M 微型膠針槍
Micro Extra Fine Gun




60H 鞋槍 60S-M 食材標記吊牌槍

Shoe Gun / Food Tagging Tool









TM−60 氣動鞋槍規格說明
(Pneumatic shoe gun specification)

名稱 (Description)	技術參數 (Technical Parameter)
尺寸 (Size)	L: 250mm W: 150mm H: 380mm
重量 (Net weight)	0.65KG

60H 鞋槍 Shoe Gun

兩款槍針搭配使用:尖頭鞋針、平頭鞋針。

Shoe Gun 60H is heavy duty with two styles of needle, one is with Blunt Tip needle, and the other is with Pointed Tip needle.

鞋釘 Shoe PIN

- 最常用鞋釘尺寸是55mm (28～82mm可生產), 各種顏色可以定制生產。

  The common size of shoe pin is 55mm(28-82mm can be available) and the color can be customized.

- 包裝: 2,500支/盒 10 盒/箱 (尼龍料)

  Package:2,500pcs/box,10boxes/ctn (Nylon)

Comparison









SAGA PIN
綠色食品級食材標記膠針
Green food grade tag pin



已通過美國FDA、德國LGBF認證
Approved USA FDA, Germany LGBF certificate

60S-M 食材標記吊牌槍
Food Tagging Tool

- 槍身特殊挖空設計，方便清洗;
  槍針選擇瑞士不銹鋼針，抗腐蝕更耐用。

  It is easy to clean with special hollowing design of gun body.
  Fitted with Swiss stainless steel needle will be corrosion-resistant. and more durable.

- FUSM 尼龍膠針經過食品級測試，
  誤食也不必過於擔心

  FUSM nylon pin have FDA certification

- 以上產品專爲食品行業釘扣標籤設計適用於魚和肉類標籤，便於追溯貨源。

  The product specially designed and made for food industry, applicable for labelling for fish and meat, easy for tracing the source.

- 包裝: 5,000支/盒 20盒/箱

  Package: 5,000pcs/box. 20boxes/ctn

吊牌槍

Tag Gun

33S Mark I 標準針槍 Tag gun STD

- 簡化結構
  Simplify construction
- 降低故障率
  Minimize failure rate
- 操作輕巧
  Saving energy



不帶刀標準槍針 Mark I STD



33S 吊牌槍適用以上各款槍針
Needles Applicable for 33S

33X Mark I 細針槍 Tag gun fine

- 簡化結構
  Simplify construction
- 降低故障率
  Minimize failure rate
- 操作輕巧
  Saving energy



不帶刀細槍針 Mark I fine



33X 吊牌槍適用以上各款槍針
Needles Applicable for 33X

55S Mark II 標準針槍 Tag gun STD

- 簡化結構
  Simplify construction
- 降低故障率
  Minimize failure rate
- 操作輕巧
  Saving energy



帶刀標準槍針 Mark II STD



55S 吊牌槍適用以上各款槍針
Needles Applicable for 55S

55X Mark II 細針槍 Tag gun fine

- 簡化結構
  Simplify construction
- 降低故障率
  Minimize failure rate
- 操作輕巧
  Saving energy



帶刀細槍針 Mark II fine




55X 吊牌槍適用以上各款槍針
Needles Applicable for 55X

吊牌槍
Tag Gun

60L



帶刀標準長針
N2-L Mark II STD Long



60EL




帶刀標準超長針
N2-EL Mark II Extra STD Long




60XL



帶刀細長針



N4-XLP Mark II Fine Long



N2-XL Mark II Fine Long


60EXL



加裝針墊
Adding needle pad



帶刀超長細槍針
N4-EXL Fine&Extra Long Needle



針墊的作用
Function of gun pad

長針槍可以當短針槍用，
減少因厚度不同換槍的頻率。

The long needle gun could be used as a short needle gun, to reduce the frequency of gun replacing due to different thickness.

Baroke 日本Bano'k系列吊牌槍
Japan Bano'K 503 Series Tag Gun

日本Bano’K503系列吊牌槍

產品特點：可選擇膠針側排方式，避免連杆排出時損壞商品，增加使用便利性。適用75發／排、100發／排及125發／排的膠針使用。

Japan Bano'K 503 Series Tag Gun
Product Advantages:
Can choose the way of ejecting pins, avoid damage to the goods, enhance convenience use.
Applicable for 75pcs/clip, 100pcs/clip or 125pcs/clip Micro Tag pin.






503SL



N-L Long Needle








503XL



N-XL Fine Long Needle









503S



N-1 Standard Needle









503X



N-X Fine Needle








TM-60E　氣動床墊膠針槍

Pneumatic tagging gun for matress





產品介紹 / Product introduction:


氣動床墊膠針槍槍身採用精密高壓真空鑄造，
合金機身，做工精細、耐用。操作簡便，
節省人工，採用精鋼槍針,釘打易穿透不累手，
使用壽命長，槍針不易壞。常用於取代膠水
固定海綿墊及厚重的汽車脚墊，也適用於
其他承重需求。

The machine body of pneumatic tagging gun for matress is vacuum casting by precision high pressure, with aluminum alloy body, exquisite technique, drindresistant and durable, easy to operate, save labor. Matching with precision steel needle, easy to penetrate product.

技術參數 / Technical Parameters:

名稱	(Description)	技術參數 (Technical Parameter)
氣壓	(Air pressure)	0.5±0.1MPa
槍身材質	(Material of body)	鋁合金 (Aluminum alloy)
可打厚度	(Tagging thickness)	≤63mm
膠釘長度	(Length of pin)	28-82mm

配套槍針 / Matching needle:




N8-EHD 床墊槍鋼針
N8-EHD steel needle for Mattress gun

應用廣泛　Product application:



海綿床墊\Sponge matress



汽車脚墊\Foot mat of car




沙发坐垫\Couch cushion

SPA-80　標籤膠釘機

Staple Pin Attacher



專業的洗水壓皺定位設備，
可隨意起皺圓猫鬚，快速釘打牛仔骨位。
The professional washing crumpling and positioning equipment provides convenient crumble and fast fixing on jeans.



標籤膠釘機規格說明

(Staple Pin Attacher product specification)

CE

名稱 (Description)	技術參數 (Technical Parameter)	名稱 (Description)	技術參數 (Technical Parameter)
净重 (Net weight)	17Kg	釘裝厚度 (Max.thickness)	12mm
電壓 (Voltage)	220V/50HZ	膠釘尺寸 (Staple size)	13mm
功率 (Power)	60W	機器尺寸 (Machine size)	L: 500mm W: 220mm H: 380mm

梯形膠釘/再生料梯形膠釘 Product introduction:

Staple Pin

使用範圍 Using range:

舊款
(Former Packaging)


新款
(Latest Packaging)



梯形膠釘
Staple Pin

標籤膠釘S-25（可供應其它彩色）





再生料梯形膠釘
Recycled Staple Pin

包装：1/2",13mm 25,000 Pcs/Roll;
4 Rolls / 100,000 Pcs/Box



產品包裝封口
Packing & Sealing

拉力：0.8kg/1.71bs
Tension force: 0.8kg/1.71bs



水洗
Stone washing




連接西裝袖標
Attach the suit sleeve label



固定褲子腰卡
Secure the pants' waist tab


SF-704J 自動送卡送鉤膠針機

Automatic card & hook feeding machine





SAGA PIN 膠針



HOOK 襪鉤

產品介紹／ Product introduction:

SF−704J 自動送卡送鉤膠針機是一款自動釘打商品標籤卡紙的機器，產品其特點自動送卡、自動打膠針功能，讓使用者更加方便快捷地完成釘打商品標籤的工作，其可適用於手套、襪子等用於商品貨架陳列展示。

SF-704J automatic card & hook feeding machine is a machine that can hang commodity tags automatically, its features include automatic card & hook feeding and automatic hang tags function, the users can complete the work of tagging more convenient and quick. It can be applied to gloves, socks, etc. for supermarket shelf

產品參數／ Product Parameters:

名稱（Description)	技術參數（Technical Parameter)
净重（Net weight)	61Kg
電壓（Voltage)	100-240V 50/60Hz
氣壓（Air pressure）	0. 5±0.1MPa
紙卡尺寸（Tag size）	W:20-78 H:30-105mm
配套膠針（Supporting tag pin）	SAGA PIN
機器尺寸（Machine size）	L: 920mm W: 70mm H: 520mm

適用產品／ Applicable Products:




玩具標籤／Toy label



手套標籤／Glove label

TM-300C/302C-II/300J 氣電一體膠針機

Hybrid Tagging Machine



TM-300C-II

技術參數 (Technical parameter)

項目 (Item)	參數 (Parameter)
氣壓 (Parameter)	0.5MPa±0.1MPa
電源 (power supply)	100-240V 50/60Hz
釘裝厚度 (Thickness range)	25mm&40mm
可放置深度 (Max.Distance)	75mm
釘裝速度 (Tagging speed)	75發/分鐘 75pcs/min
配套膠針 (Suitable fastener)	標準膠針 STD Fasteners 8-230mm 細膠針 FINE Fasteners 5-75mm
尺寸 (Size)	L: 240mm W: 220mm H: 340mm
净重 (Net weight)	6kg

TM-300C-II 特點:(Features)

此款TM−300C−II膠針機，適用於一些較厚產品釘打吊牌紙卡使用，例如多雙襪子、多層毛巾、清潔手套等產品使用。解決了產品因爲厚和硬，普通吊牌槍手壓不過、費力和效率低等問題!

The TM-300C-II Hybrid Tagging Machine is suitable for some thicker label, such as multiple pairs of socks, multiple towels, cleaning gloves etc.It solves the regular tag gun because the product is hard and thick, which causes the hand to be difficult to press down, laborious and inefficient problems!



TM-302C-II

技術參數 (Technical parameter)

項目 (Item)	參數 (Parameter)
氣壓 (Parameter)	0.5MPa±0.1MPa
電源 (power supply)	220V/50HZ
釘裝厚度 (Thickness range)	≤25mm
可放置深度 (Max.Distance)	130mm
釘裝速度 (Tagging speed)	75發/分鐘 75pcs/min
配套膠針 (Suitable fastener)	標準膠針 STD Fasteners 8-230mm 細膠針 FINE Fasteners 5-75mm
尺寸 (Size)	L: 250mm W: 237mm H: 300mm
净重 (Net weight)	8. 3kg

TM-302C-II 特點:(Features)

· 可二個機頭同時作業，或任意使用其中1個或2個機頭作業。
· 可調整各機頭之間間距，最短兩針距35mm，最寬兩針距170mm。
· 一針同時打兩個工位，省時省力。

It is possible to operate with two heads simultaneously, or use either 1 or 2 of the heads arbitrarily.
The distance between each machine head can be adjusted, with minimum distance is 35mm, and the maximum distance is 170mm.
One needle can work on two workstations simultaneously, saving both time and effort.

TM300J 挂鉤膠針機



TM-300J

技術參數 (Technical parameter)

項目 (Item)	參數 (Parameter)
氣壓 (Parameter)	0.5MPa±0.1MPa
電源 (power supply)	100-220V/50Hz
釘裝厚度 (Thickness range)	≤40mm
配套襪鈎 (Matching sock hook)	HOOK
釘裝速度 (Tagging speed)	75發/分鐘 75pcs/min
配套膠針 (Suitable fastener)	標準膠針 STD Fasteners 8-230mm 細膠針 FINE Fasteners 5-75mm
净重 (Net weight)	6.5Kg

TM-300J 特點:(Features)

此款TM300J挂鉤膠針機，適合釘打紡織類商品用於超市貨架陳列，通過和襪鉤配合使用可以釘掛多雙襪子、毛巾、毛絨帽子等商品，解決了傳統釘打效率低下等問題!

TM-300J side feeding hook tagging machine, is available to tag textile products. It is used in supermarket shelf display, Generally applicates with hook pin. Tagging pairs of socks, towels, plush hats and other products. Solved the problem of low efficiency for traditional tagging etc.



襪子標籤／Sock label

配四款槍頭 (Suitable gun head)



N2-EXL MARK II Fine & Extra Long Needle



N2-FUL MARK II Fine & Ultra long Needle



N2-ELW MARK II STD & Extra Long Needle



N2-HD-UL MARK II Heavy Duty & Ultra Long Needle


SF-701S SF-704S 自動送卡膠針機

Tags Feeding Machine

SF−701S 自動送卡膠針機
Tags Feeding Machine



SF−704S 自動送卡膠針機
Tags Feeding Machine



產品介紹／ Product introduction:

SF−701S 自動送卡膠針機是一款自動釘打商品吊牌的機器，其特點自動送卡、自動打膠針功能，讓使用者更加方便快捷的完成釘打商品吊牌的工作，可以滿足生產工廠對釘掛吊牌速度的要求。
使用範圍廣，如：服裝、毛巾、毛絨玩具等產品的掛吊牌紙卡。

SF-701S tags feeding machine is an automatic tag machine, which is characterized by automatic card feeding and automatic hang tags functions.So the user can complete the tagging work more conveniently and quickly,which can meet the requirements of production for tagging speed.It can be used for clothing, towels, plush toys and other products hanging tags.

產品參數／ Product Parameter:


氣壓	Air pressure	0.5±0.1MPa	釘扣速度 Tagging speed	0.5S
電源	Power supply	100-240V 50/60Hz	開關方式 Operation system	手動/腳踏 Touch / Pedal
機器重量	Net weight	SF-701S: 14.5kg SF-704S: 45kg	急停方式 Emergency system	按鈕急停 Emergency button
卡槽數量	Tag tank	1-4 sets	配套膠針 Supporting tag pin	SAGA PIN
送卡速度	Feeding tag speed	0.8S/Pcs(Adjustable)	釘打厚度 Tagging thickness	13mm
機器尺寸	Machine size	SF701S (L: 480mm W: 420mm H: 470mm) SF704S (L: 920mm W: 70mm H: 520mm) 兩臂伸出尺寸長度 length of spreading arms: 830mm		
紙卡尺寸	Tag size	W: 20-78mm H: 30-105mm Label card hole minimum diameter :3.5mm The distance between the hole and the label card edge :6mm		



掛吊牌展示
Display For Hang Tag



SAGA PIN 膠針



機器槍頭
Pneumatic gun head

SF-101 SF-103 自動送卡套環機

Loop Feeding Machine

SF-101 自動送卡套環機
Loop Feeding Machine



SF-103 自動送卡套環機
Loop Feeding Machine



產品介紹／ Product introduction:

SF−101 自動送卡套環機是一款自動掛商品吊牌的機器，其特點自動送卡、自動穿套環功能，讓使用者更加方便快捷的完成釘打商品吊牌的工作，可以滿足生產工廠對掛吊牌速度的要求。

SF-101 loop feeding machine is an automatic hang tag machine, which is characterized by automatic card feeding and automatic loop tags function.So the user can complete the tagging work more conveniently and quickly,which can meet the requirements of production for tagging speed

產品參數／ Product Parameter:


氣壓	Air pressure	0.5±0.1MPa	釘扣速度 Tagging speed	0.5S
電源	Power supply	100-240V 50/60Hz	開關方式 Operation system	手動/腳踏 Touch / Pedal
機器重量	Net weight	SF-101: 18.5kg SF-103: 37kg	急停方式 Emergency system	按鈕急停 Emergency button
卡槽數量	Tag tank	1-3 sets	配套膠針 Supporting tag pin	iA-LOOP / S-LOOP
送卡速度	Feeding tag speed	0.5S/Pcs(Adjustable)	釘打厚度 Tagging thickness	25mm
機器尺寸	Machine size	SF-101 (L: 480mm W: 420mm H: 450mm) 兩臂伸出尺寸長度 length of spreading arms: 830mm		
紙卡尺寸	Tag size	W: 20-78mm H: 30-105mm Label card hole minimum diameter :3.5mm The distance between the hole and the label card edge :6mm		



塑膠套環 掛吊牌展示
Display for Hang Tag by Loop




線扣套環 掛吊牌展示
Display for Hang Tag by Ito Loop



iA LOOP 槍打套環

EPA-60 彈性膠釘機

Elastic Staple Machine



EPA–60 彈性膠釘機

彈性膠釘機與傳統包裝方式相比可節約包材成本,提高生產效率,便捷的包裝方式,
可以牢固地將家居用品、玩具、餐廚具和小五金扣緊在紙卡上。

EPA-60 Elastic Staple Machine compared with the traditional packaging method, it can save the cost of packaging materials, improve production efficiency, and the convenient packaging method can firmly fasten household supplies, toys, kitchen utensils and hardware on the backing card.

技術參數 Technical Parameters

名稱	(Description)	技術參數 (Technical Parameter)
氣壓	(Air pressue)	0.5±0.1MPa
電壓	(Voltage)	220V/50HZ
可調針距	(Stitch)	10-120mm
膠釘尺寸	(Size available)	15-180mm
釘打速度	(Circulation speed)	0.5s
機器重量	(Net weight)	28kg
機器尺寸	(Machine size)	L: 600mm W: 480mm H: 1080mm

優勢説明：Our advantages

★節約包材成本 Reduce the material of package cost

彈性膠釘的包裝材料成本可大幅降低。並且使用材料符合歐美環保要求。

The material of our elastic staple cost for package are lower than the conventional packaging technologies. The material complies the EU,USA environmental standards.

★提高生產效率　Improve Productivity

膠釘機以氣動驅動作爲動力，只需0.5秒，即可固定好一個位置，
效率可提高3倍以上。

EPA60 is pneumatic, it only takes 0.5 seconds to fasten the products
The efficiency can be increased to 3 times or more.

★體驗式營銷　Experience Marketing

客户購買前可直接觸摸和感受商品，安全的包材且降低安全疑慮。

Customer can directly touch and feel the products, the plastic material pin reduces the injury.

★可調節兩針針距，適用於大小不同的物品

The spacing between two needles is adjustable, to fit for various kind of products size

★取下其中一側的機針和頂針，可作爲單針使用，這樣可以有長膠針的效果。

Remove one side of the needle and ejected rod, it can use as single needle, it had the effect of long size of tag pin.


★無需用電、不發熱、無需膠水。

No electrics, No heat, No glue





配合機器使用
Operation with the machine



傳統方式
Traditional way




WEP加寬款
WEP Widening

彈性膠釘


Elastic Staple




★ LWEP 加長加寬款 Long Wide



★ WEP 加寬款 Wide



★ EP 普通款 Regular



EP 參數/Specifications:

尺寸/Size：15-180mm
顏色/Color：透明/Natural、黑色/Black
拉力/Tension force：2.3Kg/5lbs
包裝/Packaging：10,000支/卷 PCS/ROLL
間距/pitch：6. 3mm

WEP 參數/Specifications:

尺寸/Size：15-60mm
顏色/Color：透明/Natural、黑色/Black
拉力/Tension force：4.5Kg/9.8lbs
包裝/Packaging：7, 000支/卷 PCS/ROLL
間距/pitch：9.2mm

LWEP 參數/Specifications:

尺寸/Size：15-75mm
顏色/Color：透明/Natural、黑色/Black
拉力/Tension force：4.5Kg/9.8lbs
包裝/Packaging：7, 000支/卷 PCS/ROLL
間距/pitch：10.4mm

案例 Example











FM-301 氣電一體自動送卡機

Hybrid automatic cards feeding machine







產品介紹／ Product introduction:

FM−301氣電一體自動送卡膠針機廣泛適用於各類產品的標籤釘打，如：襪子、毛巾、帽子等面料製品。機器配備自動送卡功能，解放工人雙手，提高了效率；智能面板，可進行各模式切換,一鍵開啓自動釘打、智能計數功能，還可進行各參數調整。芮奇專注自動化包裝機器多年，精益求精，品質有保障。

FM-301 hybrid automatic cards feeding machine, is widely applicable to tag kinds of label tagging. Like socks, towels, hats and other fabric products.The machine applicates with automatic feeding function, release workers'hands, increase efficiency; Digital pannel, interchanges to kinds of mode, to start automatic tagging, digital counting, and adjusting each parameter.MITCHELL CO.,LTD focus on automatic packaging machine for many years with excellence and quality assurance.

產品參數／ Product Parameters：

名稱 (Description)	技術參數 (Technical Parameter)
净重 (Net weight)	17Kg
電壓 (Voltage)	220V/50Hz
氣壓 (Air pressure)	≥0.5MPa
釘裝厚度 (Tagging thickness)	25-43mm
配套膠針 (Supporting tag pin)	SAGA PIN
可打紙卡 (Available cards)	W：20-78mm H: 30-105mm

適用產品／ Applicable Products:



襪子標籤/Sock Label



帽子標籤/Hat Label




毛巾標籤/Towel Label





地毯標籤/Rug Label

FM-302X 雙頭自動折卡膠針機

Automatic label folding tagging machine double heads







產品介紹／ Product introduction:

此款雙頭自動折卡膠針機,適合釘打紡織類商品標籤,其特點自動送卡、折卡、自動釘打膠針功能，相比傳統釘打，減去了繁瑣的工序，更加輕鬆快捷地完成包裝商品吊牌的工作，可以大幅提升生產工廠產品包裝的速度。

FM-302X automatic label folding tagging machine double heads is suitable for attaching labels to textile products. It features automatic card feeding, card folding, automatic tagging pin functions, compared with traditional fastening methods,it eliminates the cumbersome procedures,it is easier and faster to complete the work of handing tag, which can greatly improve the speed of product packaging in the manufacturing factories.

產品參數／ Product Parameters:

名稱 (Description)	技術參數 (Technical Parameter)
净重 (Net weight)	80Kg
電源 (Power supply)	AC220V 50/60Hz
氣壓 (Air pressure)	0. 5MPa-0.7MPa
釘打厚度 (Max.thickness)	25mm & 40mm
紙卡尺寸 (Tag size)	H: 140-300mm W: 80-200mm
釘打速度 (Tagging speed)	2s-3s

適用產品／ Applicable Products:




毛巾標籤／Towel label



襪子標籤／Sock label

FM-801 側送標籤膠釘機

Guide Rail Side Feeding Staple Pin Attacher



1.光線感應產品打釘更安全

2.優化放卡槽可更換規格差異較大的卡紙

3.可根據不同大小卡紙更換單、雙、或者三吸盤，取卡更穩定

4.觸摸屏，調節參數更方便

5.使用簡單易上手

6.模塊化設計，可直接更換利用原有機頭

1. Light sensing more safety for product tagging
2. Card slot is improved for different size cards replacing
3.Replacing single, double or three sucker according to different size cards, more stable for card feeding
4. Touching screen, more easy to adjust parameter
5. Easy for using
6. Module design to use previous machine head

名　稱 (Description)	技術參數 (Technical Parameter)
氣　壓 (Air pressue)	0.5±0.1MPa
電　壓 (Voltage)	220V/50HZ
紙卡尺寸 (Paper card size)	對折後最小 L: 38mm W: 60mm Minimum after folded in half 對折後最大 L: 120mm W: 150mm Maximum after folded in half
膠釘尺寸 (Pin size)	13mm
釘打速度 (Circulation speed)	4s-5s
釘裝厚度 (Max.thickness)	12mm
機器尺寸 (Machine size)	L:630mm W:604mm H:435mm

優勢說明：Our advantages

標籤膠釘機加裝自動送卡功能，若您已購買本司的標籤膠釘機只要再購買送卡底座安裝即可使用。加裝後大幅提升釘紙卡效率，省時省力，並兼容不同尺寸紙卡，滿足更多產品自動釘吊牌需求,如：褲子腰卡、清潔毛巾、手套、襪子等...

Staple pin attacher adds automatic card feeding function, if you have purchased our staple pin attacher before, you just need to purchase the card feeding base for assembly.After assembling, the tagging efficiency will be increased, save time and labor. It feeds different size of cards, meet the requirement on more products' automatic tagging, such as jeans waistband, towels, gloves and socks etc...

適用產品

Applicable Products




包裝封口／Packaging Seal



襪子標籤／Sock label

配套梯形膠釘

Match with plastic staple pin



TM-200 氣動膠針機　TM-70 氣動膠針槍

Pneumatic Tagging Machine　Pneumatic Tagging Gun







TM-200 氣動膠針機（手觸開關）


Pneumatic Tagging Machine

打釘機規格說明

(Tagging Machine product specification)

名稱 (Description)	技術參數 (Technical Parameter)
净重 (Net weight)	2.2kg
釘裝厚度 (Max.thickness)	60mm
氣壓 (pressure)	≥0.5MPa
尺寸 (Size)	L: 250mm W: 150mm H: 380mm






TM-70 氣動膠針槍

Pneumatic Tagging Gun

打釘機規格說明


(Tagging Machine product specification)

名稱 (Description)	技術參數 (Technical Parameter)
净重 (Net weight)	0.65kg
釘裝厚度 (Max.thickness)	60mm
氣壓 (pressure)	≥0.5MPa
尺寸 (Size)	L: 280mm W: 150mm H: 40mm



V-TOOL SYSTEM FasBarb 101 套環槍







裝挂吊牌的新趨勢
New Trend for Fixing

- 商品不再留下針孔及油污,亦不再受膠針、套環、接頭的傷害,提升商品質感。
- 輕巧、方便的機型設計,讓任何人都能輕鬆上手,提高效率,降低人工成本。
- The products will not leave pinholes and oil, and will not be damaged by tag pin, loop pin and joints,it can enhance the texture of the goods.
- Light weight and convenient model design,it can easy to operate by any users that improve efficiency, reduce labor costs.








伸縮性活動槍嘴，讓產品輕鬆、快速定位。
細長的針頭，方便插入細小洞口。
棉線與PP兩種不同材料吊線選擇。

Flexible tool makes fixing easier and faster.
A fine long needle makes the perforation more convenient.
Cotton and pp material strings for choice.


V-Fastener




產品名稱(Description): V-Fastener　　槍用套環
尺寸 (Size): No.3(80mm)、No.4(100mm)、No.5(130mm)
包裝方式 (Package): 5,000pcs/box(50,000pcs/carton)
拉力(Tension force): 4.5Kgs

特點:
* V字型彎曲、折角設計,好取用、效率高
* 不需要在商品上穿孔、賣相佳
* 獨立裝置、使用安全

Features
* V-shaped bend,chine design, good access,and high efficiency
* No need to perforate products, comfortable appearance
* Independent device, use safely






Loop



Fas Ito Loop

Fas Ito Loop （聚脂線）
尺寸： 80mm,130mm
包裝： 5,000pcs/box, 8boxes /carton








Fas Loop

Fas Loop (P.P.)
尺寸： 80mm、130mm
包裝： 5,000pcs/box, 8boxes /carton





跳碼機
Consecutive Labeller

意大利EVO 跳碼機 Consecutive Labeller



第三代產品優點：
1、用紙、調節方式、用途及大部分零件與第一代(OPEN)第二代(BLITZ)相同。
2、握把增加舒適的软膠。
3、墨球更易更換。
4、機頭更耐用。
5、安裝紙卷更方便。
6、外殼强度更高。

The 3rd generation product advantages:
*The size of its applied label, progression pattern,function and most of the parts are the same as the 1st generation (Opentex) and the 2nd generation (Blitz) labelers.
*More comfortable rubber handle.
*Easier to disassemble.
*More durable machine head.
*More convenient to fit the labels.
*Better tenacity for the cover.


意大利Blitz 氣動跳碼機 Pneumatic consecutive Labeller



意大利Blitz 跳碼機 Consecutive Labeller



(第二代產品)
The 2nd generation product




單跳　雙跳　固定不跳

MODELS AVAILABLE FOR 22x12 LABELS

MOD.	FIXED DIGITS	CONSECUTIVE DIGITS
2253	5	3
2234	3	4

MODELS AVAILABLE FOR 26x12 LABELS

MOD.	FIXED DIGITS	CONSECUTIVE DIGITS
2653	5	3
2644	4	4



意大利Open 跳碼機 Consecutive Labeller



(第一代產品)
The 1st generation product

標籤紙/氣動釘書機
Self-adhesive Label/Automatic Stapling Machine

國產標籤紙
Self-adhesive Label









國產编码纸(可做花邊或者直邊)

黏度: #0~#5
Viscosity: #0~#5

由於產品面料工藝與種類的不同，所需要的黏度也不同，
請測試好哪款適合您的產品再進行購買。
此類產品的保質期是指產品黏度的變化，黏度隨時間的增長而降低，降低的速度隨温度、濕度的變化而變化，常温下一般8個月内的黏度是相差不大的。
包裝:1,500張/卷、10卷/500卷/箱,可按要求做不同數的。

Domestic adhesive label(wavy- edge and straight-edge label shapes)
The corresponding label sticker according to final product, as different fabric is with different technique.
The viscosity of the label sticker is from weak to strong, the viscosity of #1 label sticker is the weakest one, and #2, #3, #4, #5 are stronger and stronger accordingly.
Packaging: 1500pcs/roll, 10rolls/row, 500rolls/carton, package can be customized.

氣動釘書機
Automatic Stapling Machine






- 優點: 省力、快速釘打、可多角度組合。
- 機型: 單頭機、雙頭機、三頭機、四頭機。
- 適合範圍: 日用品、五金工具等包裝封釘;
  紙箱紙盒拼接封釘。
- 適用釘子: 24/6、24/8、26/6、26/8釘書針


- Advantages: Work easily and quickly;
  Many angles combined available.
- Type: Single Head Machine, Double Heads Machine,
  Three Heads Machine,Four Heads Machine
- Application Range: Any kinds package with stapling
  (for example: commodity and hardware tools, cartons, boxes)
- Supporting Staples:24/6,24/8,26/6,26/8

襪鉤/膠夾/日字扣/紮帶
Hook/Buckle/Cable Tie

襪鉤/膠夾/日字扣 Hook/Clip/Buckle




















線扣 String Loop




















*本司生產的線扣都有普通材質、可再生材質、可降解材質可選。
The string loop produced by our company can be offered regular material,recycled material, biodegradable material for choose.

- 結合價格標籤，品牌標籤與產品信息
  Combination of price label, brand mark and product information
- 增加商品檔次及價值
  Enhance value forproducts
- 便於操作，易拆除，不可重復使用
  Easy to operate and remove,unavailable for recycle use

紮帶 Cable Tie






- 耐用、承受力强、耐酸、絶緣性好。
  Durable,strong bearing capacity,
  acid-resisting and well insulativity.
- 寬度: 1.8 - 9.0mm
  長度: 60 -1200mm 均可生產
  Width: 1.8 - 9.0mm
  Length: 60 - 1200mm



洗水服裝紮染
Garment washing, tie-dyeing



線管綁紮
Pipe binding

槍針
Tag Gun Needle


槍針 Tag Gun Needle

Standard


N2-P Mark II STD Made in Swiss



N2-S Mark II STD




N1-S Mark I STD



N4-P Mark II STD



N4-S Mark II STD




N3-S Mark I STD




Fine


N2-X Mark II Fine Made in Swiss




N2-F Mark II Fine




N1-F Mark I Fine




N4-X Mark II Fine



N4-F Mark II Fine




N3-F Mark I Fine




Long


N2-L Mark II STD Long




N3-L Mark I Long




N1-L Mark I Long




N2-XL Mark II Fine Long



N3-XL Mark I Fine Long



N2-EL Mark II Extra Long



Shoe Gun Heavy Duty Needle

NS-HN
Pointed needle




NS-H
Flat needle




Micro Extra Fine

N2-MT Made in Swiss
Micro extra fine




N4-M Made in China
Micro extra fine




機針
Tagging Machine Needle

機針 Tagging Machine Needle


N2-EXL Mark II Fine & Extra Long Needle




N2-EEL Ultra long tapered needle




N4-EXL Mark II Fine & Extra Long Needle




N2-FUL Mark II Fine & Ultra Long Needle



N2-ELW Mark II STD & Extra Long Needle




N2-HD-UL Mark II Heavy Duty & Ultra Long




N4-ESL Mark II STD & Super Long Needle

N3-ESL Needle For EPA-60 Elastic Stapler



N3-EEL Taper Needle For EPA-60 Elastic Stapler



N3-ESL-L Needle For EPA-120 Elastic Stapler

